

## characteristics Labsit 3 with glides and footring

Article: 9121 integral foam

|                  |           |                |         |
|------------------|-----------|----------------|---------|
| Dimensions in mm | Backrest: | H:             | 420     |
|                  | Seat:     | H:             | 520-770 |
|                  |           | B:             | 450     |
|                  |           | T:             | 420     |
| Packing data     | Weight    | kg             | 9,8     |
|                  | Volume    | m <sup>3</sup> | 0,19    |



### Base equipment

|                       |   | Benefit  |
|-----------------------|---|--|
| Laboratory compliance | Washable und resistant to disinfectant. GMP and cleanroom compatible. Can be used in laboratories with safety classification. S1 to S3 Minimal joints and positive-locking (Hygienic-Design).                               | Suitable for laboratories and all hygiene-critical environments particularly health care, universities, biotechnology, chemistry and pharmaceuticals.  |
| Handling              | Practical handle on backrest. Extremely lightweight. Compact size.  | Ensures maximal mobility and ease of use.  |
| Ergonomics            | Easy adjustment for user or workplace situation with single lever.  | Intuitive handling. With its flexing functions Labsit adjusts automatically. No need for complicated tilt adjustments.   |
| Backrest              | Synthetic Backrest with 3D-Flex function.   | The backrest adapts to the movements of the user and therefore follows the upper body when leaning back or turning sideways. This ensures a dynamic seating position and provides optimal support for the body in any position. Intuitive and automatic. |
| Seat                  | Flex funktion at front edge of seat.  | The front edge of the seat automatically follows the forward-angled working position of the body. This ensures optimal blood circulation and effectively prevents pressure pain.   |
| Seat Shell            | Five colours to choose from: blue (3277), grey(3278), orange (3279) and green (3280).   | Attractive design. Improves the ambience of the workplace and employee satisfaction.   |
| Upholstered Seat      | Integral PU-foam The Integral PU-foam upholstery is extremely robust, durable, washable, resistant to disinfectant, PVC- free, resistant to blood and urine, fire protection according to EN 1021 Part 1 + 2 Colour: black. | For applications where aggressive substances are in use. The surface is hard-wearing, extremely robust, and easily cleaned. Resistant to pointed and sharp-edged equipment.  |
| Seat Height           | Seat height infinitely adjustable between 520 - 770 mm.   | Large variability of seat height adjustment.   |
| 5-Star Base           | Sturdy polyamide base Optional: Aluminium base  | Very sturdy, durable and stable. High quality. Attractive design.  |
| Foot Ring             | Height adjustable, chromium-plated foot ring.   | Wide foot plate provides good support. Height can be quickly and easily adjusted.  |
| Glides                | Large, abrasion resistant floor glides.   | Good stability.  |

**characteristics Labsit 3 with glides and footring**

Article: 9121 integral foam

|                  |           |                |         |
|------------------|-----------|----------------|---------|
| Dimensions in mm | Backrest: | H:             | 420     |
|                  | Seat:     | H:             | 520-770 |
|                  |           | B:             | 450     |
|                  |           | T:             | 420     |
| Packing data     | Weight    | kg             | 9,8     |
|                  | Volume    | m <sup>3</sup> | 0,19    |



|           |  |
|-----------|--|
| Standards | Suitable for cleanrooms category 3 in accordance with DIN EN ISO 14644-1<br>GMP-Conform Laboratory safety classification S1 to S3 Tested for harmful substances technical standard DIN 68 877-1 GS-Certified for highest levels of safety Blue Angel environmental certificate Sanitized Qualitymanagement DIN EN ISO 9001 Environmental Management DIN EN ISO 14001 Verified Environmental Management EMAS Occupational Health & Safety OHSAS 18001 EcoVadis CSR Rating 2016 Gold |
| Guarantee | 10-year long-term-guarantee - 3 years of which full guarantee.   |

Certified by independent testing institutes. Procurement security.

Quality assured and cost effective.

**characteristics Labsit 3 with glides and footring**

Article: 9121 integral foam

|                  |           |                |         |
|------------------|-----------|----------------|---------|
| Dimensions in mm | Backrest: | H:             | 420     |
|                  | Seat:     | H:             | 520-770 |
|                  |           | B:             | 450     |
|                  |           | T:             | 420     |
| Packing data     | Weight    | kg             | 9,8     |
|                  | Volume    | m <sup>3</sup> | 0,19    |



**Options**

**Benefit**

|                      |   |  |
|----------------------|---|--|
| Accessories/Lap-clip | For simple and individual labelling. Easy to add or remove at any time. | Chair can be personalized and allocated to a person or area. |
|----------------------|---|--|

|          |                 |          |
|----------|-----------------|----------|
| Armrests | Fixed armrests. | Plastic. |
|----------|-----------------|----------|