

RUSH 2.0

ERGONOMICS & SUSTAINABILITY

The RUSH 2.0 is designed for protection in a wide range of work environments and applications, offering both comfort and durability. Its textured temples and flexible nose piece provide extra support, while its Platinum Lite coated lens ensures good resistance to fogging and scratches, making it suitable for diverse work conditions. In addition to its ergonomic design, RUSH 2.0 is engineered with 32% of recycled material to help lower carbon emissions in PPE eyewear.

32 G

- + **OPTIMIZED VISION:
PLATINUM LITE COATED**
- + **ADAPTIVE FIT:
WIDE HINGES**
- + **LIMITED PRESSURE POINT:
ERGONOMIC TEMPLES**
- + **SUSTAINABLE:
MADE OF 32% RECYCLED MATERIAL**

bolle
SAFETY

AVAILABLE IN ECO-POLYBAG
GO GREEN

AVAILABLE IN
Customisation

AVAILABLE WITH
PRESCRIPTION

PART OF THE RUSH+ COLLECTION



RUSH+ 2.0
STANDARD



RUSH+ 2.0 HB
UPPER SEAL



RUSH+ 2.0 XP
SEALED



RUSH 2.0
ACCESSIBLE



RUSH+ 2.0 DUO
PRESCRIPTION



TECHNOLOGIES

CSP
+PLATINUM LITE

VERSIONS



RUSHMN10E



RUSHMN20E



RUSHMN30E

ACCESSORIES



PSPUNISS01

RUSH 2.0

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
	 CLEAR	 RUSHMN10E	 UL1,2 CT 1 C€	16321  CT 1-M C€	 PLATINUM LITE	EN ISO 16321-1
	 SMOKE	 RUSHMN20E	 GL3 CT 1 C€	16321  CT 1-M C€	 PLATINUM LITE	EN ISO 16321-1
	 COPPER	 RUSHMN30E	 GL1 CT 1 C€	16321  CT 1-M C€	 PLATINUM LITE	EN ISO 16321-1

BOLLÉ SAFETY PRODUCT APPROVAL CERTIFICATES TO C€ STANDARDS WILL BE SENT ON REQUEST.

PACKAGING & EAN13 CODE

SINGLE: Size: 29.5 x 12 x 7 cm	INNER BOX: Size: 27.5x18x13 cm Weight: 0.765 kg	OUTER PACK: Size: 58 x 38 x 30 cm Weight: 6.82 kg
3660740022891	3660740122898 -10 pcs	3660740222895 -80 pcs
3660740022921	3660740122928 -10 pcs	3660740222925 -80 pcs
3660740022952	3660740122959 -10 pcs	3660740222956 -80 pcs
CUSTOM CODE: 9004901000		


AVAILABLE IN
Customisation

OPTIONAL ACCESSORIES

REFERENCE	DESCRIPTION	SINGLE	INNER BOX	OUTER PACK
PSPUNISS01	UNIVERSAL STRAP	3660740011970	3660740111977 -40 pcs	3660740211974 -480 pcs

GENERAL SPECIFICATIONS

LENS	POLYCARBONATE - 2.3 MM	FOAM	-
CURVE	8 - VERY CURVED	STRAP	NYLON POLYESTER - 16MM (OPTIONAL)
FRAME	RECYCLED PC/TPR - RIMLESS	OPTIONAL	UNIVERSAL STRAP

KNOW MORE
ABOUT
MARKINGS:

OR SCAN:

CLEANING & STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.**MAINTENANCE:** Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.**STORAGE:** All products must be stored in a dry and clean environment.

MADE IN: CN

DATASHEET: 08-21-2025

bolle-safety.com

Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
P : 00 33 (0) 4 78 85 23 64**U.K. & Ireland**
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
P : 00 44 (0)208 391 4700**USA Office**
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
United States of America
P : 800 222 6553**Asia-Pacific Office**
32-40 Fairchild Street
Heatherton VIC 3202
Australia
P : 1300 138 098THE PPE EYEWEAR
SPECIALISTS

PACKAGING

ECO-
POLYBAG

Available on all Bollé Safety's eyewear
(except B-Line: 50% recycled)



 **100%**
RECYCLED

 **100%**
RECYCLABLE



PRODUCT



0.1926
kgCO₂e EMISSIONS
FOR ONE PRODUCT LIFE CYCLE

63%
CO₂ REDUCTION
VS THE SAME STANDARD PRODUCT

SOURCES :
ECOINVENT V3.8
(01/07/2024)

*8.7% reduction thanks to ECO-POLYBAG for 10 units
in FSC-certified cardboard packaging compared with
standard polybags packaged in non-FSC cardboard.

VERSIONS			
FRAME/TEMPLES COMPOSITION	RECYCLED POLYCARBONATE / RECYCLED TPR		
LENS COMPOSITION	POLYCARBONATE		
% OF TOTAL PRODUCT WEIGHT	32.40%	32.40%	32.40%
CO ₂ FOOTPRINT	0,1926 kgCO ₂ e	0,1926 kgCO ₂ e	0,1926 kgCO ₂ e
CO ₂ REDUCTION VS STANDARD PRODUCT	63%	63%	63%