

RUSH+ 2.0

MODULARITY & EFFICIENCY

The RUSH+ 2.0, our iconic model, is designed to withstand the harshest work environments, making it a trusted choice for all professionals. Recognized for its comfortable wear, RUSH+ 2.0 is engineered with wide opening hinges and a flexible nosepiece, ensuring a better fit by minimising gaps and reducing pressure points. To optimise its fit, RUSH+ 2.0 is available in two sizes; S and M/L. Lightweight and well balanced, RUSH+ 2.0 is also eco-friendly: made from 28% recycled materials. Its wide lens, coated with our exclusive Platinum anti-fog and anti-scratch solution, optimises the wearer's vision, while the variety of lens tints available make RUSH+ 2.0 suitable for even the most demanding work conditions.

34 G

- + **COMFORTABLE FIT: ERGONOMIC TEMPLES & HINGES**
- + **ADAPTIVE: MULTIPLE LENS OPTIONS AVAILABLE**
- + **OPTIMAL VISION: PLATINUM COATED**
- + **SUSTAINABLE: MADE OF 28% RECYCLED MATERIAL**

bolle
SAFETY

AVAILABLE IN ECO-PACK
GO GREEN

AVAILABLE IN
Customisation

AVAILABLE WITH
PRESCRIPTION



PART OF THE RUSH+ COLLECTION



RUSH+ 2.0
STANDARD



RUSH+ 2.0 HB
UPPER SEAL



RUSH+ 2.0 XP
SEALED



RUSH 2.0
ACCESSIBLE



RUSH+ 2.0 DUO
PRESCRIPTION

TECHNOLOGIES

CSP | HD | PLATINUM

VERSIONS

M/L SIZE

M/L



RUSPMN10E

RUSPMN20E

RUSPMN32E



RUSPMN11E

RUSPMN21E

RUSPMN50E



RUSPMN12E

RUSPMN22E

RUSPMN80E



RUSPMN13E

RUSPMN30E

RUSPMN81E



RUSPMN14E

RUSPMN31E

RUSPMN82E

S SIZE

S



RUSPSN10E

RUSPSN20E

RUSPSN50E



RUSPSN11E

RUSPSN21E

RUSPSN80E



RUSPSN13E

RUSPSN30E

RUSPSN81E



RUSPSN14E

RUSPSN32E

RUSPSN82E

ACCESSORIES

M/L

S



RUSXMN70E

RUSXSN70E

PSPUNISS01

RUSH+ 2.0								PACKAGING & EAN13 CODE		
USE	VERSION	SIZE	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD	SINGLE: Size: 29.5 x 12 x 7 cm	INNER BOX: Size: 27.5 x 18 x 13 cm Weight: 0.615 kg	OUTER PACK: Size: 58 x 38 x 30 cm Weight: 5.62 kg
 	CLEAR	M/L	 RUSPMN10E	 UL1,2 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1	3660740022983	3660740122980 -10 pcs	3660740222987 -80 pcs
 	CLEAR	M/L	 RUSPMN11E	 UL1,2 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1	3660740023010	3660740123017 -10 pcs	3660740223014 -80 pcs
 	CLEAR	M/L	 RUSPMN12E	 UL1,2 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1	3660740023041	3660740123048 -10 pcs	3660740223045 -80 pcs
 	HD	M/L	 RUSPMN13E	 UL1,2 CT 1 C€	16321  CT 1-M C€	HYDROPHOBIC & AR	EN ISO 16321-1	3660740023225	3660740123222 -10 pcs	3660740223229 -80 pcs
 	CLEAR-ECOPACK	M/L	 RUSPMN14E	 UL1,2 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1	3660740022983	3660740122980 -10 pcs	3660740222987 -80 pcs
 	SMOKE	M/L	 RUSPMN20E	 GL3 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1	3660740023072	3660740123079 -10 pcs	3660740223076 -80 pcs
 	SMOKE	M/L	 RUSPMN21E	 GL3 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1	3660740023102	3660740123109 -10 pcs	3660740223106 -80 pcs
 	SMOKE-ECOPACK	M/L	 RUSPMN22E	 GL3 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1	3660740023072	3660740123079 -10 pcs	3660740223076 -80 pcs
 	COPPER	M/L	 RUSPMN30E	 GL1 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1	3660740023133	3660740123130 -10 pcs	3660740223137 -80 pcs
 	COPPER	M/L	 RUSPMN31E	 GL1 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1	3660740023164	3660740123161 -10 pcs	3660740223168 -80 pcs
 	AMBER	M/L	 RUSPMN32E	 UL1,2 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1	3660740023256	3660740123253 -10 pcs	3660740223250 -80 pcs
 	BRONZE	M/L	 RUSPMN50E	 GL2 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1	3660740023195	3660740123192 -10 pcs	3660740223199 -80 pcs
 	WELDING 1.7 GREY	M/L	 RUSPMN80E	16321  W1,7 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1-EN ISO 16321-2	3660740023287	3660740123284 -10 pcs	3660740223281 -80 pcs
 	WELDING 3 GREY	M/L	 RUSPMN81E	16321  W3 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1-EN ISO 16321-2	3660740023317	3660740123314 -10 pcs	3660740223311 -80 pcs
 	WELDING 5 GREY	M/L	 RUSPMN82E	16321  W5 CT 1 KN C€	16321  CT 1-M C€	+PLATINUM	EN ISO 16321-1-EN ISO 16321-2	3660740023348	3660740123345 -10 pcs	3660740223342 -80 pcs
 	CLEAR	S	 RUSPSN10E	 UL1,2 CT 1 KN C€	16321  CT 1-S C€	+PLATINUM	EN ISO 16321-1	3660740023379	3660740123376 -10 pcs	3660740223373 -80 pcs
 	CLEAR	S	 RUSPSN11E	 UL1,2 CT 1 KN C€	16321  CT 1-S C€	+PLATINUM	EN ISO 16321-1	3660740023409	3660740123406 -10 pcs	3660740223403 -80 pcs
 	HD	S	 RUSPSN13E	 UL1,2 CT 1 C€	16321  CT 1-S C€	HYDROPHOBIC & AR	EN ISO 16321-1	3660740023553	3660740123550 -10 pcs	3660740223557 -80 pcs
 	CLEAR-ECOPACK	S	 RUSPSN14E	 UL1,2 CT 1 KN C€	16321  CT 1-S C€	+PLATINUM	EN ISO 16321-1	3660740023379	3660740123376 -10 pcs	3660740223373 -80 pcs
 	SMOKE	S	 RUSPSN20E	 GL3 CT 1 KN C€	16321  CT 1-S C€	+PLATINUM	EN ISO 16321-1	3660740023430	3660740123437 -10 pcs	3660740223434 -80 pcs
 	SMOKE	S	 RUSPSN21E	 GL3 CT 1 KN C€	16321  CT 1-S C€	+PLATINUM	EN ISO 16321-1	3660740023461	3660740123468 -10 pcs	3660740223465 -80 pcs
 	COPPER	S	 RUSPSN30E	 GL1 CT 1 KN C€	16321  CT 1-S C€	+PLATINUM	EN ISO 16321-1	3660740023492	3660740123499 -10 pcs	3660740223496 -80 pcs
 	AMBER	S	 RUSPSN32E	 UL1,2 CT 1 KN C€	16321  CT 1-S C€	+PLATINUM	EN ISO 16321-1	3660740023584	3660740123581 -10 pcs	3660740223588 -80 pcs
 	BRONZE	S	 RUSPSN50E	 GL2 CT 1 KN C€	16321  CT 1-S C€	+PLATINUM	EN ISO 16321-1	3660740023522	3660740123529 -10 pcs	3660740223526 -80 pcs
 	WELDING 1.7 GREY	S	 RUSPSN80E	16321  W1,7 CT 1 KN C€	16321  CT 1-S C€	+PLATINUM	EN ISO 16321-1-EN ISO 16321-2	3660740023614	3660740123611 -10 pcs	3660740223618 -80 pcs
 	WELDING 3 GREY	S	 RUSPSN81E	16321  W3 CT 1 KN C€	16321  CT 1-S C€	+PLATINUM	EN ISO 16321-1-EN ISO 16321-2	3660740023645	3660740123642 -10 pcs	3660740223649 -80 pcs
 	WELDING 5 GREY	S	 RUSPSN82E	16321  W5 CT 1 KN C€	16321  CT 1-S C€	+PLATINUM	EN ISO 16321-1-EN ISO 16321-2	3660740023676	3660740123673 -10 pcs	3660740223670 -80 pcs
OPTIONAL ACCESSORIES										
FOAM AND STRAP KIT		M/L	 RUSXMN70E		C€			3660740023799	3660740123796 -20 pcs	3660740223793 -160 pcs
FOAM AND STRAP KIT		S	 RUSXSN70E		C€			3660740023850	3660740123857 -20 pcs	3660740223854 -160 pcs
RETAINER STRAP			PSPUNISS01					3660740011970	3660740111977 -40 pcs	3660740211974 -480 pcs

BOLLÉ SAFETY PRODUCT APPROVAL CERTIFICATES TO C€ STANDARDS WILL BE SENT ON REQUEST.

GENERAL SPECIFICATIONS			
LENS	POLYCARBONATE - 2.2 MM	FOAM	SBR (OPTIONAL)
CURVE	8 - VERY CURVED	STRAP	NYLON POLYESTER - 16MM (OPTIONAL)
FRAME	RECYCLED PC/TPR - RIMLESS	OPTIONAL	FOAM AND STRAP KIT - UNIVERSAL STRAP
MADE IN	TW	CUSTOM CODE	9004901000


Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
P : 00 33 (0) 4 78 85 23 64

U.K. & Ireland
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
P : 00 44 (0)208 391 4700

USA Office
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
United States of America
P : 800 222 6553

Asia-Pacific Office
32-40 Fairchild Street
Heatherton VIC 3202
Australia
P : 1300 138 098

KNOW MORE ABOUT MARKINGS:



OR SCAN:

CLEANING & STORAGE

CLEANING : The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE : Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE : All products must be stored in a dry and clean environment.



THE PPE EYEWEAR SPECIALISTS

PACKAGING

ECO-
POLYBAG

Available on all Bollé Safety's eyewear
(except B-Line: 50% recycled)

100%
RECYCLED

100%
RECYCLABLE



Reduction of
9%
CO₂ Emissions*

ECO-
PACK



Reduction of
28%
CO₂ Emissions**

0%
PLASTIC

100%
RECYCLABLE

30%
LESS WASTE

VEGETAL BASED
INK

We are proud to provide a 100% recyclable packaging made of recycled cardboard and silk paper. We also took the decision to print our user instructions directly on our master packaging with water-based ink. No plastic, less waste.

PRODUCT



27.5%

OF THIS EYEWEAR
IS RECYCLED

0.5199

kgCO₂e EMISSIONS
FOR A FULL PRODUCT LIFE CYCLE

20.6%

CO₂ REDUCTION
VS THE SAME STANDARD PRODUCT

VERSIONS M/L	RUSPMN10E	RUSPMN11E	RUSPMN12E	RUSPMN13E	RUSPMN14E	RUSPMN20E	RUSPMN21E	RUSPMN22E	RUSPMN30E	RUSPMN31E	RUSPMN32E	RUSPMN80E	RUSPMN81E	RUSPMN82E
FRAME/TEMPLES COMPOSITION	RECYCLED POLYCARBONATE / RECYCLED TPR													
LENS COMPOSITION	POLYCARBONATE													
% OF TOTAL PRODUCT WEIGHT	27.5%													
CO2 FOOTPRINT	0,5199 kgCO2e													
CO2 REDUCTION VS STANDARD PRODUCT	20.6%													

VERSIONS S	RUSPSN10E	RUSPSN11E	RUSPSN13E	RUSPSN14E	RUSPSN20E	RUSPSN21E	RUSPSN30E	RUSPSN32E	RUSPSN50E
FRAME/TEMPLES COMPOSITION	RECYCLED POLYCARBONATE / RECYCLED TPR								
LENS COMPOSITION	POLYCARBONATE								
% OF TOTAL PRODUCT WEIGHT	29.5%								
CO2 FOOTPRINT	0,4945 kgCO2e								
CO2 REDUCTION VS STANDARD PRODUCT	21.4%								

SOURCES :
ECOINVENT V3.8
(01/07/2024)

*8.7% reduction thanks to ECO-POLYBAG for 10 units in FSC-certified cardboard packaging compared with standard polybags packaged in non-FSC cardboard.

**27.8% reduction thanks to ECO-PACK compared to standard inner packaging in a non-FSC cardboard.